


VL-100 Verlängerungsrohr 1000 mm


Art.-Nr. 1401-Ø



D	A	E
120	1000	50
130	1000	50
150	1000	50
160	1000	50
180	1000	50

DRN-25 Rohr 250 mm mit Drosselklappe


Art.-Nr. 1419-Ø



D	A	E
120	250	50
130	250	50
150	250	50
160	250	50
180	250	50

VL-75 Verlängerungsrohr 750 mm


Art.-Nr. 1421-Ø



D	A	E
120	750	50
130	750	50
150	750	50
160	750	50
180	750	50

DRN-33 Rohr 330 mm mit Drosselklappe


Art.-Nr. 1420-Ø



D	A	E
120	330	50
130	330	50
150	330	50
160	330	50
180	330	50

VL-50 Verlängerungsrohr 500 mm

Art.-Nr. 1403-Ø



D	A	E
120	500	50
130	500	50
150	500	50
160	500	50
180	500	50

BRD-Set Bogenrohr m. Drosselk. Rosette+Wandf.


Art.-Nr. 1416-Ø t



D	A	B	E
120	700	450	50
130	700	450	50
150	700	450	50
160	700	450	50
180	700	470	50

VL-25 Verlängerungsrohr 250 mm


Art.-Nr. 1405-Ø



D	A	E
120	250	50
130	250	50
150	250	50
160	250	50
180	250	50

BRD, Bogenrohr mit Drosselklappe

Art.-Nr. 1415-




D	A	B	E
120	700	450	50
130	700	450	50
150	700	450	50
160	700	450	50
180	700	470	50

Kaminofenzubehör mit Einzug (E) 50 mm

VRD-Set, Bogenrohr m. Drosselk. Rosette+Wandf.

Art.-Nr. 1417-Ø


D	A	B	E
120		50	
130		50	
150		50	
160		50	
180		50	



BT-90 / Bogen 90° mit Tür

Art.-Nr. 1407-Ø


D	A	B	E
120	270	300	50
130	265	300	50
150	275	300	50
160	285	315	50
180	310	338	50



VRD, Vollformrohr mit Drosselklappe

Art.-Nr. 1418-Ø


D	A	B	E
120		50	
130		50	
150		50	
160		50	
180		50	



BVT / Bogen 0-90° mit Tür

Art.-Nr. 1431-Ø

D	A	B	E
120		50	
130		50	
150		50	
160		50	
180		50	



WRD-Set Winkelrohr m. Drosselk. Rosette+Wandf.

Art.-Nr. 1427-Ø


D	A	B	E
120	700	450	50
130	700	450	50
150	700	450	50
160	700	450	50
180	700	470	50



W-60 / Winkel 60° ohne Tür

Art.-Nr. 1408-Ø


D	A	B	E
120	150	190	50
130	150	196	50
150	160	178	50
160	160	203	50
180	170	210	50



WRD, Winkelrohr mit Drosselklappe

Art.-Nr. 1429-Ø


D	A	B	E
120	700	450	50
130	700	450	50
150	700	450	50
160	700	450	50
180	700	470	50



WT-45 / Winkel 45° mit Tür


Art.-Nr. 1409-Ø

D	A	B	E
120	135	235	50
130	130	225	50
150	135	228	50
160	140	247	50
180	160	274	50



W-15 / Winkel 15° ohne Tür

Art.-Nr. 1412-Ø	D	A	B	E
	120	105	160	50
	130	115	151	50
	150	115	155	50
	160	120	160	50
	180	120	175	50




WD-10 / Wandfutter dopp. 100 mm

Art.-Nr. 1413-Ø	D
	120
	130
	150
	160
	180




W-30 / Winkel 30° ohne Tür

Art.-Nr. 1411-Ø	D	A	B	E
	120	125	158	50
	130	125	160	50
	150	125	165	50
	160	140	183	50
	180	140	188	50




WD-20 / Wandfutter dopp. 200 mm

Art.-Nr. 1414-Ø	D
	120
	130
	150
	160
	180



W-45 / Winkel 45° ohne Tür

Art.-Nr. 1410-Ø	D	A	B	E
	120	135	166	50
	130	130	174	50
	150	135	178	50
	160	140	177	50
	180	140	185	50




WRV, Wandrosette verstellbar

Art.-Nr. 1422-Ø	D
	120 Umlaufend ____ ums Rohr
	130
	150
	160
	180



DK Drosselklappe

Art.-Nr. 1421-Ø	D
	120
	130
	150
	160
	180



W / Wandrosette starr

Art.-Nr. 1319-Ø	D
	120 Umlaufend ____ ums Rohr
	130
	150
	160
	180



Kaminofenzubehör mit Einzug (E) 50 mm



Deckenblende / Durchführung

Art.-Nr.	D
	120
	130
	150
	160
	180

Wandrosette Ecke, Winkel 90°

Art.-Nr.	D
	120
	130
	150 Umlaufend 80 mm ums Rohr
	160
	180

